



TOWN OF RIDGWAY

STANDARD SPECIFICATION AND TYPICAL DRAWINGS FOR INFRASTRUCTURE CONSTRUCTION

JUNE 2020

These standards, drawings, and supporting reports, plans, files, field data, notes, and other documents and instruments prepared by Consolidated Consulting Services (CCS) as instruments of service shall remain the property of CCS and the Town of Ridgway. The Town and CCS shall retain all common law, statutory, and other reserved rights, including the copyright thereto. These documents may not be used by others or duplicated for any other purpose.

TABLE OF CONTENTS

DIVISION 1 - GENERAL REQUIREMENTS

1. GENERAL PROVISIONS
2. PURPOSE
3. APPLICABILITY
4. INTERPRETATION
5. AMENDMENTS AND REVISIONS
6. DEFINITIONS AND ABBREVIATIONS
7. ENFORCEMENT
 - 7.01 Authority of Town
 - 7.02 Violations
 - 7.03 Deviations
8. RESPONSIBLE PARTY RESPONSIBILITIES
9. PLANS FOR REVIEW
10. RESPONSIBILITY FOR DESIGN AND CONSTRUCTION
11. EASEMENT REQUIREMENTS
12. PRE-CONSTRUCTION MEETINGS
 - 12.01 Pre-Bid Meeting
 - 12.02 Pre-Construction Meeting
13. NOTIFICATIONS BY RESPONSIBLE PARTY
 - 13.01 Notifications Prior to Work
 - 13.02 Non Regular Work Hours
 - 13.03 Emergency Notice
 - 13.04 Testing
14. CONTROL OF WORK AND MATERIALS
 - 14.01 Work Hours
 - 14.02 Delivery and Storage of Materials
 - 14.03 Work Conditions
 - 14.04 Defective Materials
 - 14.05 Unacceptable or Authorized Work
15. PROTECTION OF FACILITIES, PROPERTY, AND IMPROVEMENTS
 - 15.01 Protection of Existing Facilities and Improvements
 - 15.02 Public Safety and Convenience
16. CONSTRUCTION SAFETY REQUIREMENTS
17. STOP WORK ORDER
18. CHANGES TO APPROVED PLANS
19. RECORD DRAWINGS AND OPERATION AND MAINTENANCE DATA
20. ACCEPTANCE, OPERATION AND MAINTENANCE
21. SERVICE RATES

DIVISION 2 – SITE WORK

SECTION 02200 - EXCAVATION, BACKFILL, AND COMPACTION

1. GENERAL

- 1.01 Description
- 1.02 Related Work Specified Elsewhere
- 1.03 Measurements and Levels
- 1.04 Conformance Testing
- 1.05 Existing Conditions
- 1.06 Protection of Existing Utilities

- 2. PRODUCTS
 - 2.01. Submittals
 - 2.02. General Use Materials
 - 2.03. Bedding and Pipe Zone Materials Classification
 - 2.04. Road Construction Materials
 - 2.05. Unsuitable Materials
 - 2.06. Topsoil
 - 2.07. Riprap
 - 2.08. Spot Subgrade Reinforcement and Sub-Grade Stabilization
 - 2.09. Geotextiles
 - 2.10. Capillary Water Barrier Material (CWB)
 - 2.11. Seed, Mulch, and Tackifier

- 3. EXECUTION
 - 3.01. Clearing and Grubbing
 - 3.02. Removal of Cleared and Unsuitable Materials
 - 3.03. Access Roads and Bypasses
 - 3.04. Pavement Cutting
 - 3.05. Dust Control
 - 3.06. Drainage
 - 3.07. Excavation
 - A. Grade Stakes
 - B. Tolerances
 - C. Stockpiling Materials
 - D. Sheeting, Bracing, and Shoring
 - E. Drainage and Groundwater Control
 - F. Use of Explosives
 - G. Sequencing
 - H. Excavation to Grade
 - I. Trench Width
 - 3.08. Bedding Backfill, Compaction of Embankment, Pipelines, and Structures
 - A. Pipe Bedding
 - i. Bedding Preparation
 - ii. Placing Bedding Material
 - B. Backfill and Compaction
 - i. Structure and Appurtenance Backfill and Compaction
 - ii. Pipe Zone Compaction
 - iii. Upper Trench Compaction
 - C. Surface Restoration
 - D. Patching
 - E. Topsoiling
 - i. Conservation
 - ii. Clearing

- iii. Placing Topsoil
- F. Revegetation

SECTION 02712 WATER SYSTEM - MINIMUM DESIGN STANDARDS

- 1. MATERIALS
- 2. MINIMUM FLOW
- 3. LINE SIZE
- 4. WATER LINE DEPTHS
- 5. WATER LINE LOOPING
- 6. VALVE SPACING
- 7. HYDRANTS
- 8. SERVICE CONNECTIONS
- 9. PROXIMITY STATEMENT
- 10. CROSS CONNECTIONS AND BACKFLOW PREVENTION
- 11. REMOVAL OF ABANDONED INFRASTRUCTURE
- 12. DISINFECTION AND FLUSHING
- 13. TESTING

SECTION 02713 - WATER SYSTEM CONSTRUCTION

- 1. GENERAL
 - 1.01 Description
 - 1.02 Related Work Specified Elsewhere
 - 1.03 Proximity Statement
- 2. PRODUCTS
 - 2.01. Ductile Iron Pipe
 - 2.02. Plastic Pipe
 - 2.03. Copper Tubing
 - 2.04. Water Service Materials
 - A. Corporation Valve
 - B. Service Saddle
 - C. Meter Setter
 - D. Meter Can
 - E. Meter Can Lid
 - F. Water Service Pressure Regulator
 - G. Curb Box and Stop
 - 2.05. Gate Valves
 - 2.06. Valve Box
 - 2.07. Butterfly Valve 3" and larger
 - 2.08. Butterfly Valve Electric Actuator
 - 2.09. Fire Hydrants
 - 2.10. Flushing Hydrant
 - 2.11. Yard Hydrant
 - 2.12. Air Valves
 - 2.13. Cross Connection Control Valves
 - 2.14. Miscellaneous Valves
 - 2.15. Bolts and Hardware

- 2.16. Compression Couplings
- 2.17. Tracer Wire and Marking Tape
- 2.18. Insulation
- 2.19. Manholes

3. EXECUTION

- 3.01. Field Locations
- 3.02 Service Disruption
- 3.03 Receiving, Handling, and Storage
- 3.04 Alignment and Grade
- 3.05 Excavation and Trench Preparation
- 3.06 Pipe Laying
 - A. Lowering Pipe into Trench
 - B. Inspection Before Installation
 - C. Keeping Pipe Clean
 - D. Laying of Pipe
 - E. Sequencing
 - F. Cutting of Pipe
 - G. Connection to and Crossing of Existing Lines
- 3.07 Water Service Installation
 - A. Service Line Installation and Responsibility
 - B. Meter Lid Elevation
 - C. Curb Stop and Box
- 3.08 Crossings
- 3.09 Setting of Fitting, Valves, and Hydrants
 - A. Valves and Valve Boxes
 - B. Hydrants
 - C. Dead Ends
 - D. Thrust Blocks
 - E. Air Valves
 - F. Cross Connection Control Valves
 - G. Vaults
- 3.10 Bedding and Compaction
- 3.11 Hydrostatic Testing
- 3.12 Disinfection of Potable Waterlines
 - A. General
 - B. Pipe Cleaning
 - C. Preliminary Flushing
 - D. Chlorine Application
 - E. Continuous Feed Method
 - F. Tablet Method
 - G. Final Flushing
 - H. Disposal of Super Chlorinated Waters
 - I. Bacteriologic Tests
 - J. Repetition of Procedure
 - K. Disinfecting Existing Mains

CDPHE Low Risk Discharge Guidance 1/15/16

SECTION 02722 SEWER SYSTEM - MINIMUM DESIGN STANDARDS

1. PLAN APPROVAL
2. DESIGN FLOW
3. PIPING DETAILS
 - 3.01 Materials
 - 3.02 Size
 - 3.03 Grades
 - 3.04 Minimum Velocity
 - 3.05 Maximum Slope
 - 3.06 Manhole Spacing and Design
 - 3.07 Flexible Joints near Manhole
 - 3.08 Terminal Manhole
 - 3.09 Underdrains
 - 3.10 Drop Manhole
 - 3.11 Depth of Bury
4. LIFT STATIONS
5. INVERTED SIPHONS
6. SERVICE CONNECTIONS
7. CONSTRUCTION
8. PROTECTION OF WATER SUPPLIES
9. MISCELLANEOUS REQUIREMENTS
10. TESTING

SECTION 02723 SEWER SYSTEM CONSTRUCTION

1. GENERAL
 - 1.01 Related Work Specified Elsewhere
 - 1.02 Description
 - 1.03 Certificate of Compliance
 - 1.04 Reference Standards
2. PRODUCTS
 - 2.01 Pipe Materials
 - A. PVC
 - B. Ductile Iron
 - C. High Density Polyethylene (HDPE) Pipe Perforated
 - D. High Density Polyethylene (HDPE) Pipe
 - E. Steel Casing Pipe
 - F. Cleanout
 - G. Sewer Service Saddles
 - 2.02 Manhole Materials
 - A. Base, Inverts, and Cones
 - B. Markings
 - C. Frame and Cover
 - D. Manhole Steps
 - E. Non-Shrink Grout
 - F. Butyl Rubber Flexible Gasket Material
 - H. Pipe Connections

- I. Geotextile
- 2.03 Tracer Wire and Marking Tape
- 3. EXECUTION
 - 3.01 Handling, and Storage
 - 3.02 Underground Obstruction
 - 3.03 Excavation
 - 3.04 Alignment and Grade
 - 3.05 Laying Sewer Pipe
 - A. Inspection
 - B. Installation Instructions
 - C. Potential Conflicts
 - D. Lowering Pipe into Trench
 - E. Keeping Pipe Clean
 - F. Laying and Joining Pipe
 - G. Crossing Existing Lines
 - H. Cutting of Pipe
 - I. Sequencing
 - 3.06 Pipe Bedding
 - 3.07 Backfill and Compaction
 - 3.08 Manhole Construction and Installation
 - 3.09 Connections to Existing Manholes
 - 3.10 Connection Existing Pipes to New Manholes
 - 3.11 Wyes and Risers
 - 3.12 Service Installations
 - 3.13 Underdrains
 - 3.14 Lift Station and Force Mains
 - 3.15 Field Quality Control (Testing)
 - A. Infiltration Test
 - B. Test for Displacement of Sewers
 - C. Ovalation of Flexible Conduits
 - D. Video Inspection of Line Interior
 - E. Test for Pressure Lines
 - F. Air Test – Gravity Flow Lines
 - G. Manhole Tests
 - 3.16 Inspection Cleaning and Lamping
 - 3.17 Restoration and Cleanup
 - 3.18 Abandonment

Table - Allowable Pressure Drop

POWER AND BURIED WIRES - MINIMUM REQUIREMENTS

- 1. GENERAL
- 2. DEPTH OF BURY
- 3. WIRE LOCATIONS
- 4. BEDDING
- 5. MARKING TAPE
- 6. SEPARATION FROM OTHER UTILITIES

- 7. LINE IN PUBLIC RIGHTS OF WAY
- 8. CROSSING OTHER UTILITIES

CROSSINGS

- ROADWAY CROSSINGS
- ARROYO AND CANAL CROSSINGS
- OVERHEAD INSULATED CROSSINGS

SLOPE STABILIZATION AND REVEGETATION

- PART I - GENERAL
- PART II - PRODUCTS
- PART III - EXECUTION

BOARDWALK

DIVISION THREE – CONCRETE AND PAVEMENT

MINIMUM STANDARDS - CURB, GUTTER, SIDEWALKS, AND STREETS

- GENERAL
- PLAN APPROVAL
- STREET CONSTRUCTION
- STREET LAYOUT
- SERVICE LINE INSTALLATION
- DRAINAGE
- MONUMENTATION

CURB, GUTTER AND SIDEWALK

- 1.00 SCOPE
- 2.00 GENERAL PROVISIONS
- 3.00 PROTECTION OF EXISTING FACILITIES
 - 3.01 General
 - 3.02 Responsibility for Repair
- 4.00 MATERIALS
 - 4.01 Select Materials
 - 4.02 Concrete
 - 4.03 Cement
 - 4.04 Aggregate
 - 4.05 Wire Reinforcement
 - 4.06 Air Entrainment Agents
 - 4.07 Curing Compounds
 - 4.08 Expansion Joint Material
 - 4.09 Water
- 5.00 GRADING
 - 5.01 Compaction
- 6.00 FORMS

- 7.00 MIXING CONCRETE
 - 7.01 Job Mixed Concrete
 - 7.02 Ready Mixed Concrete
 - 7.03 Retempering Concrete
- 8.00 CONSISTENCY
- 9.00 PLACING CONCRETE
 - 9.01 General
 - 9.02 Cold Weather Concreting
 - 9.03 Hot Weather Concreting
 - 9.04 Finishing Concrete
 - 9.05 Joints
- 10.0 CURING
 - 10.01 Liquid Membrane Curing
- 11.0 DEFACING, DEFECTIVE, AND DAMAGED CONCRETE
- 12.0 BACKFILLING
- 13.0 OPENING TO TRAFFIC
- 14.0 CONNECTIONS TO EXISTING SIDEWALKS
- 15.0 REPAIRS
- 16.0 ACCEPTANCE BY TOWN

STREET DESIGN AND CONSTRUCTION

PART I - GENERAL

- Scope
- Related Work Specified Elsewhere
- Plan Submission and Approval
- Quality Assurance
- Qualification of Asphalt Concrete Producer
- Qualification of Testing Agency
- Design Criteria

PART II - MATERIALS

- Selected Borrow Material
- Sub-Base
 - Gradation
 - Base Course
- Prime Coat
- Tack Coat
- Paving Materials
 - Aggregate
- Paving Asphalt

PART III - EXECUTION

- Sub-Grade Preparation
 - Field Control
- Grading
- Excavation
- Embankments
- Select Borrow Materials

- Sub-Base Placement and Compaction
- Base Course
- Asphalt Paving
- General
- Job Conditions
- Weather Limitations
- Grade Control
- Traffic Control
- Prime Coat
- Tack Coat
- Plant Mixed Asphalt Surfacing
- Job Mixing Formula
- Mixing Plant
- Transporting Asphalt
- Equipment
- Asphalt Distributor
- Bituminous Pavers
- Rolling Equipment
- Hand Tools
- Placement
- Allowable Tolerances
- Density
- Thickness
- Surface Smoothness
- Placing the Mix
- Continuity of Operation
- Paver Placing
- Hand Placing
- Joints
- Compacting the Mix
- Testing
- Density Control
- Depth of Asphalt Control
- Drainage
- Cleaning and Protection
- Cleaning
- Protection
- Patching
- Adjusting Utility Grades
- Frame and Adjustments
- Placing Frames
- Acceptance by the Town

TYPICAL DRAWINGS

STANDARD BEDDING DETAIL
SEWER / SEEP TRENCH DETAIL
CASING PIPE DETAIL
GATE VALVE DETAIL
FIRE HYDRANT DETAIL
AIR VACUUM STATION
BLOWOFF INSTALLATION
THRUST BLOCK DETAIL (2 pages)
3/4-1" WATER SERVICE
1-1/2" – 2" WATER SERVICE
SERVICE RECONNECTION
MANHOLE TYPICAL
DROP MANHOLE (2 pages)
GRAVITY CLEANOUT ELEVATION
PRESSURE CLEANOUT PLAN VIEW
SEWER SERVICE DETAIL
STORM DRAIN INLET
STREET DIMENSIONS
TYPICAL ROAD SECTION WITH PAN
TYPICAL ROAD SECTION WITH VERTICAL CURB
TYPICAL GRAVEL STREET
CUL DE SAC
CUL DE SAC (ALT)
CURB, CUTTER, SIDEWALK DETAILS
SIDEWALK DRAIN BOX
VALLEY PAN DETAILS
INTERSECTION DETAILS
PAVEMENT REMOVAL
DRIVEWAY DETAILS
MONUMENT DETAILS
HANDICAP RAMP (2 pages)
PARKING LAYOUT
CROSSING DETAILS